Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L2	70	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L3	57	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L4	31	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L5	62	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L6	59	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L7	41	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L8	17	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L9	57	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L10	2029	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L11	294	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04

L12	178	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L13	276	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L14	158	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L15	326	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L16	91	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L17	42	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L18	2767	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L19	10	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L20	5290	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L21	2029	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L22	158	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L23	276	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04

L24	178	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L25	294	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L26	74	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L27	2767	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L28	117	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L29	17	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L30	267	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L31	43	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L32	201	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L33	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L34	2	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04

L35	112	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L36	1	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L37	94895	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L38	36	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L39	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L40	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
L41	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/06/10 14:04
S1	1	"20020111965".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:48
S2	53	(direct\$2 near5 execut\$3) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 15:36
S3	43	((direct directly) near5 execut\$3) near5 (XML html sgml mark adj up adj language)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 15:43
S4	21	robot near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 16:08
S5	47	(robot bot) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 15:45

S6	52	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 16:12
S7	32	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 16:12
S8	15	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 16:12
S9	46	(((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable)) near5 (XML html sgml)) (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near3 executable) near (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/24 16:13
S10	1617	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 15:54
S11	231	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR `	ON	2004/08/27 15:55
S12	136	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 15:55
S13	219	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 15:55
S14	116	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 15:55
S15	254	integrat\$3 near5 executable near5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 17:06
S16	73	integrat\$3 adj5 executable adj5 (instruction code)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 17:06
S17	31	integrat\$3 adj5 executable adj5 (instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 17:06

S18	2202	715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 17:06
S19	9	(715/513.ccls. 717/114.ccls. 717/113.ccls. 717/109.ccls. 717/105.ccls.) and (integrat\$3 near5 executable near5 (instruction code))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/27 17:06
S20	4529	dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 09:38
S21	1622	715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:16
S22	116	717/105.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:16
S23	220	717/109.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:16
S24	136	717/113.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:17
S25	231	717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:17
S26	58	(dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object)) and 715/513.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:17
S27	2208	715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:17
S28	94	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (dynamic\$5 near5 (creat\$3 updat\$3 build\$3 chang\$3 modif\$7) near5 (attribute node element object))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:35
S29	14	common adj application adj metamodel	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 08:32

S30	204	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:50
S31	35	(715/513.ccls. 717/105.ccls. 717/109.ccls. 717/113.ccls. 717/114.ccls.) and (((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) near5 (XML html sgml))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 09:38
S32	138	execut\$3 adj2 XML	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/08/31 09:42
S33	1	execut\$3 adj standard adj document adj structure	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:48
S34	2	execut\$3 adj standard adj document	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:49
S35	72	execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:49
S36	1	direct\$3 adj execut\$3 adj xml	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:49
S37	78805	(integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:51
S38	29	((integrat\$3 add\$3 insert\$3 plac\$3 stor\$3 includ\$3 inclusion) near (executable instruction)) and (execut\$3 adj xml)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 08:55
S39	4	("6725425" "6199077" "20020032782" "6412073").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 09:15
S40	1	(("6725425" "6199077" "20020032782" "6412073").pn.) and xml and executable	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/01 09:16
S41	1	"6173316".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/09/07 10:02